
DATA SHEET

Penetration temperature probe with centric penetration tip





Characteristical features

- · Vapor-on waterproof grouted
- Shock resistant
- Ergonomic handle out of PTFE (Teflon®)
- · Resistant to liquids and acids
- 4000 mm long and flexible PTFE connection cable

Areas of application

- Food inspection
- · Butcher machines
- Freezers
- · Fermenting units
- · Backing ovens
- · Cook- and smoking units
- Quality control in the food industry
- In the kitchen

Technical data

Penetration probe		
Sensor		Pt100
Measuring range		-50+260 °C
Accuracy		Class F 0,3 (Class B) DIN EN 60751 compliant
Measuring current		max. 1 mA
Connection type		2-wire connection
Nominal length		100 mm
Diameter		4 mm
Material	Probe Handle	Stainless steel 1.4571 PEEK
Electrical connection		open ends 50 mm, end sleeves insulated
Connection cable	Length Cross section Insulation	4000 mm 2 x 0,35 mm² white, PTFE/PTFE
Ingress protection		IP67
Articlenumber		0600 0007-11

Features

The special construction of these robust waterproof penetration temperature probes makes them ideal for the control of cooking and baking processes in all domains of the food and beverage industry.

The protection tube is made of stainless steel and has a centric penetration tip. All the types are vibration and shock resistant. The ergonomic handle and the cable are easy to clean as well as acid resistant. The probes are distinguished by a high mechanical robustness.

DATA SHEET

Penetration temperature probe with centric penetration tip

Dimensions



